



HP-200

SECTION 1. IDENTIFICATION

Product Identifier HP-200

Other Means of Foaming Sealant - Grape Scent

Identification

Recommended Use Sealant for touchless car wash applications.

Restrictions on Use None known.

Manufacturer / Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

Supplier www.turtlewaxpro.com

Emergency Phone No. INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

CANUTEC (Canada), 613-996-6666, 24 Hours

SDS No. Ver. 1 (December 12, 2017)

Date of Preparation May 27, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A; Aspiration hazard - Category 1

GHS Label Elements





Signal Word: Danger

Hazard Statement(s):

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation. H319 Causes serious eye irritation.

Prevention:

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTRE/doctor.

P331 Do NOT induce vomiting.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 01 of 07

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Distillates (Petroleum), Hydrotreated Middle	64742-46-7	15-30	Mineral seal oil
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	61789-77-3	5-10	Di-Alkyl Quaternary Ammonium Chloride
2-Butoxyethanol	111-76-2	2-4	Ethylene glycol monobutyl ether, Butyl Cellosolve
2-(2-Butoxyethoxy)ethanol	112-34-5	2-4	Diethylene glycol monobutyl ether
Amines, C14-18 and C16-18-unsatd. alkyl, ethoxylated	68155-39-5	2-4	Ethoxylated Fatty Acid Amine

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation occurs get medical advice/attention.

Eve Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: causes moderate to severe irritation. Repeated or prolonged exposure can irritate the skin. Symptoms include pain, redness, and swelling. If in eyes: may cause moderate to severe irritation. Symptoms include sore, red eyes, and tearing.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 02 of 07

Do not direct solid stream of water into burning liquid. Contact with water causes violent frothing and spattering.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff. Remove or recover liquid using pumps or vacuum equipment.

Contact emergency services and manufacturer/supplier for advice. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: clean, dry. Store in closed container. Keep from freezing. Keep out of reach of children.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
2-Butoxyethanol		20 ppm C Skin	50 ppm Skin			
Distillates (Petroleum), Hydrotreated Middle	5 mg/m3	10 mg/m3	5 mg/m3			
2-(2-Butoxyethoxy)ethanol	10 ppm					

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash in work area, if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 03 of 07

Appearance Purple liquid.

Odour Grape

Odour Threshold Not available pH 6.5 - 9.5

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash Point199.9 °F (93.3 °C)Evaporation RateNot availableFlammability (solid, gas)Will not burn.

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not available
Vapour Density (air = 1) Not applicable

Relative Density (water = 1) 0.95

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

Other Information

Physical State Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide; hydrocarbons.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; eye contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides		200-2000 mg/kg (rat)	
Distillates (Petroleum), Hydrotreated Middle	> 10 mg/L (rat) (4-hour exposure)	> 5,000 mg/kg (rat)	> 2000 mg/kg (rabbit)

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017)

Date of Preparation: May 27, 2015

Page 04 of 07

2-(2-Butoxyethoxy)ethanol	3384 mg	ı/kg (rat)	2700 mg/kg (rabbit)
---------------------------	---------	------------	---------------------

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Prolonged exposure may cause eye damage.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation, lung irritation.

Ingestion

Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

May cause lung damage if aspirated based on physical properties (e.g. kinematic viscosity) and chemical family (hydrocarbon).

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No indication from ingredients.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides	0.195 mg/L (96-hour)	0.3 mg/L (Daphnia magna (water flea); 48-hour)		
2-(2-Butoxyethoxy)ethanol	1300 mg/L (Lepomis macrochirus (bluegill); 96-hour)	> 100 mg/L (Daphnia magna (water flea); 48-hour)		

Chronic Aquatic Toxicity

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 05 of 07

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	
Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides			0.15 mg/L (Daphnia magna (water flea); 21-day)	

Persistence and Degradability

(Quaternary ammonium compounds, dicoco alkyldimethyl, chlorides) Biodegradable as per OECD 301E tests for ready biodegradability. Degrades rapidly based on quantitative tests.

(2-Butoxyethanol) Biodegradable as per OECD 301E tests for ready biodegradability. Degrades rapidly based on quantitative tests.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2). New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2).

California Proposition 65: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 1 Flammability - 0 Instability - 0

SDS Prepared By Technical Group
Date of Preparation May 27, 2015

Revision Indicators The following SDS content was changed on December 12, 2017:

SECTION 1. IDENTIFICATION; Other Means of Identification.

SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements. SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.

SECTION 4. FIRST-AID MEASURES; Eye Contact.

SECTION 5. FIRE-FIGHTING MEASURES; Special Protective Equipment and Precautions for

Fire-fighters.

SECTION 6. ACCIDENTAL RELEASE MEASURES; Methods and Materials for Containment

and Cleaning up.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION; Control Parameters.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density.

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 06 of 07

SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Aspiration Hazard; Carcinogenicity.

SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity; Chronic Aquatic Toxicity.

Disclaimer

The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-200

SDS No.: Ver. 1 (December 12, 2017) Page 07 of 07

