



HP-590

SECTION 1. IDENTIFICATION

Product Identifier HP-590

Other Means of

Wall and Equipment Cleaner - Industrial Strength

Identification

Recommended Use Multi-purpose cleaner in a tunnel carwash.

Restrictions on Use None known.

Manufacturer / Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

Supplier www.turtlewaxpro.com

Emergency Phone No. INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

CANUTEC (Canada), 613-996-6666, 24 Hours

SDS No. Ver. 2 (July 31, 2017)

Date of Preparation May 28, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1

GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 01 of 06

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name | CAS No. | % | Other Identifiers |
|--------------------|------------|-------|--|
| Phosphoric Acid | 7664-38-2 | 20-40 | N/A |
| Glycolic acid | 79-14-1 | 2-5 | Hydroxyacetic Acid |
| Alcohol Ethoxylate | 68439-46-3 | 1-5 | N/A |
| 2-Butoxyethanol | 111-76-2 | 1-3 | Ethylene Glycol Monobutyl Ether, Butyl Cellosolve |

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately rinse with lukewarm, gently flowing water for 15-20 minutes. Completely decontaminate clothing, shoes, and leather goods before reuse or discard. If skin irritation occurs get medical advice/attention.

Eve Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Immediately call a Poison Centre or doctor.

Ingestion

Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: may cause moderate to severe irritation. Symptoms include pain, redness, and swelling.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Not combustible. Use extinguishing agent suitable for surrounding fire.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Review Section 10 (Stability and Reactivity) for additional information.

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 02 of 06

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: clean, dry, separate from incompatible materials (see Section 10: Stability and Reactivity). Store in closed container. Do not store in metal containers. Keep out of reach of children. Comply with all applicable health and safety regulations, fire and building codes.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

| | ACGIH TLV® | | OSHA PEL | | AIHA WEEL | |
|-----------------|------------|---------|----------|---------|-----------|-----|
| Chemical Name | TWA | STEL | TWA | Ceiling | 8-hr TWA | TWA |
| 2-Butoxyethanol | 1 mg/m3 | 3 mg/m3 | 1 mg/m3 | | | |
| Phosphoric Acid | 1 mg/m3 | 3 mg/m3 | 1 mg/m3 | | | |

Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: natural rubber, butyl rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Clear liquid.

Odour Mild

Odour Threshold Not available

pH < 1.5

Melting Point/Freezing Point Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot applicable

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 03 of 06

Evaporation Rate Not available Flammability (solid, gas) Will not burn.

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour PressureNot applicableVapour Density (air = 1)Not available

Relative Density (water = 1) 1.16

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Unstable under certain conditions - see Conditions to Avoid.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Contact with most metals above this temperature may release hydrogen. Temperatures above 230.0 °F (110.0 °C)

Incompatible Materials

Chlorates, nitrates, hypochlorites, oxidizing agents (e.g. peroxides).

Hazardous Decomposition Products

Thermal decomposition: very toxic carbon monoxide, carbon dioxide.

Upon contact with metals: flammable hydrogen gas.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

| Chemical Name | LC50 | LD50 (oral) | LD50 (dermal) |
|--------------------|----------------------------------|------------------|-----------------------|
| 2-Butoxyethanol | | 1530 mg/kg (rat) | 2740 mg/kg (rabbit) |
| Phosphoric Acid | | 1530 mg/kg (rat) | 2740 mg/kg (rabbit) |
| Glycolic acid | 3.6 mg/L (rat) (4-hour exposure) | 1950 mg/kg (rat) | |
| Alcohol Ethoxylate | | 1378 mg/kg (rat) | > 2000 mg/kg (rabbit) |

Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing. Prolonged exposure may cause eye problems.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May cause nose and throat irritation, lung irritation.

Ingestion

May be harmful or fatal.

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 04 of 06

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

May cause irritation of the respiratory system. May cause respiratory tract injury.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

No components listed by IARC, ACGIH and NTP.

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

| Chemical Name | LC50 Fish | EC50 Crustacea | ErC50 Aquatic Plants | ErC50 Algae |
|--------------------|--|--|----------------------|-------------|
| 2-Butoxyethanol | 138 mg/L (96-hour) | | | |
| Phosphoric Acid | 138 mg/L (96-hour) | | | |
| Glycolic acid | 168 mg/L (Pimephales promelas (fathead minnow); 96-hour) | 141 mg/L (Daphnia magna (water flea); 48-hour) | | |
| Alcohol Ethoxylate | 11 mg/L (Pimephales promelas (fathead minnow); 96-hour; fresh water) | 5.3 mg/L (Daphnia magna (water flea); 48-hour) | | |

Chronic Aquatic Toxicity

| Chemical Name | NOEC Fish | EC50 Fish | NOEC Crustacea | EC50 Crustacea |
|--------------------|-----------|-----------|----------------|----------------|
| Alcohol Ethoxylate | 1.5 mg/L | | | |

Persistence and Degradability

(2-Butoxyethanol) Degrades rapidly based on quantitative tests. Biodegradable as per OECD 301E tests for ready biodegradability.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 05 of 06

SECTION 14. TRANSPORT INFORMATION

| Regulation | UN No. | Proper Shipping Name | Transport Hazard Class(es) | Packing Group |
|--------------|--------|---|-------------------------------|------------------|
| Canadian TDG | 3264 | CORROSIVE LIQUID, Acidic, Inorganic (Phosphoric Acid) | Class 8 | III |
| US DOT | 3264 | CORROSIVE LIQUID, Acidic, Inorganic (Phosphoric Acid) | Class 8 | III |

Special Precautions

Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); Phosphoric acid (CAS: 7664-38-2).

California Proposition 65: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 2 Flammability - 0 Instability - 0

SDS Prepared By Technical Group **Date of Preparation** May 28, 2015

Revision Indicators The following SDS content was changed on July 31, 2017:

SECTION 1. IDENTIFICATION; Other Means of Identification.

SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements. SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density. SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values. SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity.

Disclaimer The information contained here in has been compiled from sources believed to be reliable and

> is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or

disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-590

SDS No.: Ver. 2 (July 31, 2017) Page 06 of 06

