



## HP-76

### SECTION 1. IDENTIFICATION

<b>Product Identifier</b>	HP-76
<b>Other Means of Identification</b>	High pH Foaming Presoak - Citrus Lemon Scent
<b>Recommended Use</b>	Presoak used in self serve carwashes.
<b>Restrictions on Use</b>	None known.
<b>Manufacturer / Supplier</b>	Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com
<b>Emergency Phone No.</b>	INFOTRAC (U.S.), 1-800-535-5053, 24 Hours CANUTEC (Canada), 613-996-6666, 24 Hours
<b>SDS No.</b>	Ver. 2 (August 10, 2017)
<b>Date of Preparation</b>	May 08, 2015

### SECTION 2. HAZARDS IDENTIFICATION

#### GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1; Skin sensitization - Category 1A

#### GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

Prevention:

P261 Avoid breathing dust, fume, gas, mist, vapours or spray.

P264 Wash hands and skin thoroughly after handling.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P363 Wash contaminated clothing before reuse.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

#### Other Hazards

---

Product Identifier:	HP-76
SDS No.:	Ver. 2 (August 10, 2017)
Date of Preparation:	May 08, 2015

None known.

### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	15-30	Sodium olefin Sulfonate
Tetrasodium EDTA	64-02-8	7-9	Ethylenediaminetetraacetic Acid
Sodium hydroxide	1310-73-2	3-5	Caustic Soda
2-Butoxyethanol	111-76-2	1-3	Ethylene glycol monobutyl ether, Butyl cellosolve
d-Limonene	5989-27-5	<1	(R)-p-mentha-1,8-diene

#### Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

### SECTION 4. FIRST-AID MEASURES

#### First-aid Measures

##### Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor.

##### Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice/attention.

##### Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

##### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. If conscious, drink large amounts of water and milk, followed by citrus juice or dilute vinegar. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

If on skin: may burn the skin. Permanent scarring may result. If in eyes: may cause serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result.

#### Immediate Medical Attention and Special Treatment

##### Target Organs

Eyes, skin.

##### Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

##### Medical Conditions Aggravated by Exposure

None known.

### SECTION 5. FIRE-FIGHTING MEASURES

#### Extinguishing Media

##### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

##### Unsuitable Extinguishing Media

None known.

### Specific Hazards Arising from the Chemical

Very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides; hydrocarbons.

### Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. Protect personnel from corrosive liquid, even when diluted.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

## SECTION 6. ACCIDENTAL RELEASE MEASURES

### Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

### Environmental Precautions

Concentrated product: do not allow into any sewer, on the ground or into any waterway.

### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike and recover contaminated water for appropriate disposal.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

### Other Information

Report spills to local health, safety and environmental authorities, as required.

## SECTION 7. HANDLING AND STORAGE

### Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

### Conditions for Safe Storage

Store in an area that is: clean, dry, separate from incompatible materials (see Section 10: Stability and Reactivity).

Comply with all applicable health and safety regulations, fire and building codes. Store in closed container. Keep from freezing.

## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Sodium hydroxide		2 mg/m <sup>3</sup> C	2 mg/m <sup>3</sup>			
2-Butoxyethanol		20 ppm C Skin	50 ppm Skin			

### Appropriate Engineering Controls

Concentrated product: use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

### Individual Protection Measures

#### Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

#### Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: alkali-resistant materials.

#### Respiratory Protection

Not normally required if product is used as directed.

## SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### Basic Physical and Chemical Properties

Appearance	Fluorescent yellow liquid.
Odour	Citrus
Odour Threshold	Not available
pH	> 13.0
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	Not available
Flash Point	Not available
Evaporation Rate	Not available
Flammability (solid, gas)	Not available
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not applicable
Vapour Density (air = 1)	Not available
Relative Density (water = 1)	1.14
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)

## SECTION 10. STABILITY AND REACTIVITY

### Reactivity

Not reactive.

### Chemical Stability

Normally stable.

### Possibility of Hazardous Reactions

None known.

### Conditions to Avoid

Incompatible materials.

### Incompatible Materials

Strong acids (e.g. hydrochloric acid).

### Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides; hydrocarbons.

## SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Skin contact; eye contact.

### Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetrasodium EDTA	> 1-5 mg/L (rat) (4-hour exposure)	1780 mg/kg (rat)	
Sodium hydroxide		500 mg/kg (rabbit)	1350 mg/kg (rabbit)
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)

Product Identifier: HP-76  
SDS No.: Ver. 2 (August 10, 2017)  
Date of Preparation: May 08, 2015

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	52-206 mg/L (rat)	2079-2340 mg/kg (rat)	6300-160000 mg/kg (rabbit)
d-Limonene		4400 mg/kg (rat)	> 5000 mg/kg (rabbit)

#### Skin Corrosion/Irritation

Human experience shows skin corrosion. May burn the skin. Permanent scarring may result. Excessive skin exposure to vapors of >25 ppm in air may cause dizziness, nausea, and blood harm.

#### Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

#### STOT (Specific Target Organ Toxicity) - Single Exposure

##### Inhalation

May cause nose and throat irritation, lung irritation.

##### Ingestion

May cause severe irritation or burns to the mouth, throat and stomach.

#### Aspiration Hazard

No information was located.

#### STOT (Specific Target Organ Toxicity) - Repeated Exposure

No indication from ingredients.

#### Respiratory and/or Skin Sensitization

Sensitization may occur following exposure to the liquid or vapour. Contains: Citral, Alpha-pinene, Beta-pinene, 1, 4-Terpinolene, 1,8-Cineol.

#### Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		
d-Limonene	Group 3			

#### Reproductive Toxicity

##### Development of Offspring

No indication from ingredients.

##### Sexual Function and Fertility

No indication from ingredients.

##### Effects on or via Lactation

No indication from ingredients.

#### Germ Cell Mutagenicity

No information was located.

#### Interactive Effects

No information was located.

## SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

#### Toxicity

##### Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Tetrasodium EDTA	34-62 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	113 mg/L (Daphnia magna (water flea); 48-hour; static)		

Sodium hydroxide	45.4 mg/L (Oncorhynchus mykiss (rainbow trout); 96-hour; static)	100 mg/L (Daphnia magna (water flea); 48-hour)		
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	3.5-5 mg/L (96-hour)	4.53 (Daphnia magna (water flea); 48-hour)		
d-Limonene	0.619-0.796 mg/L (Pimephales promelas (fathead minnow); 96-hour; flow-through)	28.2 mg/L (Daphnia magna (water flea); 48-hour; flow-through)		

#### Chronic Aquatic Toxicity

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day; semi-static)		> 100 mg/L (Daphnia magna (water flea); 21-day; semi-static)	

#### Persistence and Degradability

(Tetrasodium EDTA) By using samples from a river, a ditch and a lake as inocula in the closed bottle test, a biodegradation between 60 and 83% was obtained after 49 days at pH 6.5, whereas between 53 and 72% were obtained after 28 days at pH 8.0.

## SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

## SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide)	Class 8	III
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium hydroxide)	Class 8	III

**Special Precautions for User** Not applicable

**Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code**

Not applicable

## SECTION 15. REGULATORY INFORMATION

#### Safety, Health and Environmental Regulations

##### Canada

**Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)**

Consult Transchem Pro Inc. regarding status of ingredients.

##### USA

**Additional USA Regulatory Lists**

Product Identifier: HP-76  
 SDS No.: Ver. 2 (August 10, 2017)  
 Date of Preparation: May 08, 2015

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2).

New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); Sodium Hydroxide (CAS: 1310-73-2).

California Proposition 65: No listed substances are known to be present.

TSCA INVENTORY: All ingredients are commercially available and presumed to be listed by manufacturer.

## SECTION 16. OTHER INFORMATION

<b>NFPA Rating</b>	<b>Health - 3</b>	<b>Flammability - 0</b>	<b>Instability - 0</b>
<b>SDS Prepared By</b>	Technical Group		
<b>Date of Preparation</b>	May 08, 2015		
<b>Revision Indicators</b>	The following SDS content was changed on August 10, 2017: SECTION 1. IDENTIFICATION; Other Means of Identification. SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements. SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information. SECTION 4. FIRST-AID MEASURES; Skin Contact; Eye Contact. SECTION 6. ACCIDENTAL RELEASE MEASURES; Methods and Materials for Containment and Cleaning up. SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density. SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Skin Corrosion/Irritation; Respiratory and/or Skin Sensitization; Carcinogenicity. SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity; Chronic Aquatic Toxicity.		
<b>Disclaimer</b>	The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.		

---

Product Identifier: HP-76  
SDS No.: Ver. 2 (August 10, 2017)  
Date of Preparation: May 08, 2015

Page 07 of 07