



HP-78

SECTION 1. IDENTIFICATION

Product Identifier HP-78

Other Means of

High pH Foaming Tire Cleaner - Pine Scent

Identification

Recommended Use Concentrated detergent for cleaning tires and wheels.

Restrictions on Use None known.

Manufacturer / Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870,

Supplier www.turtlewaxpro.com

Emergency Phone No. INFOTRAC (U.S.), 1-800-535-5053, 24 Hours

CANUTEC (Canada), 613-996-6666, 24 Hours

SDS No. Ver. 2 (August 10, 2017)

Date of Preparation May 07, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 1C; Serious eye damage/eye irritation - Category 1

GHS Label Elements



Signal Word:

Danger

Hazard Statement(s):

H314 Causes severe skin burns and eye damage.

H318 Causes serious eye damage.

Prevention:

P260 Do not breathe dusts or mists.

P264 Wash hands and skin thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower.

P363 Wash contaminated clothing before reuse.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE/doctor.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 01 of 07

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	10-15	Sodium olefin Sulfonate
Tetrasodium EDTA	64-02-8	7-9	Ethylenediaminetetraacetic acid
Sodium Metasilicate	6834-92-0	3-7	Disodium salt, Silicic Acid
2-Butoxyethanol	111-76-2	1-3	Ethylene Glycol Monobutyl Ether, Butyl Cellosolve

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor.

Skin Contact

Take off immediately contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation occurs get medical advice/attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. Immediately call a Poison Centre or doctor.

Ingestion

Rinse mouth with water. Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. If conscious, drink large amounts of water and milk, followed by citrus juice or dilute vinegar. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may burn the skin. Permanent scarring may result. If in eyes: may cause serious eye damage. May irritate or burn the eyes. Permanent damage including blindness may result.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides; hydrocarbons.

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 02 of 07

Special Protective Equipment and Precautions for Fire-fighters

Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills. Protect personnel from corrosive liquid, even when diluted. Avoid flow of contaminated fire waters to storm sewers. See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

Concentrated product: do not allow into any sewer, on the ground or into any waterway.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike and recover contaminated water for appropriate disposal.

Review Section 13 (Disposal Considerations) of this safety data sheet. Contact emergency services and manufacturer/supplier for advice.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Store in an area that is: clean, dry, separate from incompatible materials (see Section 10: Stability and Reactivity). Comply with all applicable health and safety regulations, fire and building codes. Store in closed container. Keep from freezing.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

	ACGI	ACGIH TLV®		OSHA PEL		AIHA WEEL	
Chemical Name	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA	
2-Butoxyethanol		20 ppm C Skin	50 ppm Skin				

Appropriate Engineering Controls

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Wear chemical protective clothing e.g. gloves, aprons, boots.

Suitable materials are: alkali-resistant materials.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance Fluorescent green liquid.

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 03 of 07

Odour Pine

Odour Threshold Not available pH > 13.0

Melting Point/Freezing Point Not available (melting); Not available (freezing)

Initial Boiling Point/RangeNot availableFlash PointNot availableEvaporation RateNot availableFlammability (solid, gas)Not available

Upper/Lower Flammability or

Explosive Limit

Not applicable (upper); Not applicable (lower)

Vapour Pressure Not applicable
Vapour Density (air = 1) Not available

Relative Density (water = 1) 1.13

Solubility Soluble in water Partition Coefficient, Not available

n-Octanol/Water (Log Kow)

Auto-ignition TemperatureNot availableDecomposition TemperatureNot available

Viscosity Not available (kinematic)

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

Incompatible materials.

Incompatible Materials

Strong acids (e.g. hydrochloric acid).

Hazardous Decomposition Products

Very toxic carbon monoxide, carbon dioxide; corrosive, oxidizing nitrogen oxides; corrosive sulfur oxides; hydrocarbons.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Skin contact; eye contact.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Tetrasodium EDTA	> 1-5 mg/L (rat) (4-hour exposure)	1780 mg/kg (rat)	
Sodium Metasilicate		1153 mg/kg (rat)	
2-Butoxyethanol	450 ppm (female rat) (4-hour exposure)	400-917 mg/kg (rat)	220 mg/kg (rabbit)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	52-206 mg/L (rat)	2079-2340 mg/kg (rat)	6300-160000 mg/kg (rabbit)

Skin Corrosion/Irritation

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 04 of 07

Product is corrosive. Contact may cause chemical burns.

Serious Eye Damage/Irritation

May irritate or burn the eyes. Permanent damage including blindness may result.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

May be harmful May cause severe nose and throat irritation, lung injury, corrosive damage.

Ingestion

May cause severe irritation or burns to the mouth, throat and stomach.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No indication from ingredients.

Respiratory and/or Skin Sensitization

No information was located.

Carcinogenicity

Chemical Name	IARC	ACGIH®	NTP	OSHA
2-Butoxyethanol	Group 3	A3		

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Tetrasodium EDTA	34-62 mg/L (Lepomis macrochirus (bluegill); 96-hour; static)	113 mg/L (Daphnia magna (water flea); 48-hour; static)		
Sodium Metasilicate	210 mg/L (96-hour)	216 mg/L (96-hour)		
2-Butoxyethanol	1490-2950 mg/L (Lepomis macrochirus (bluegill); 96-hour)	1550 mg/L (Daphnia magna (water flea); 48-hour)		
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	3.5-5 mg/L (96-hour)	4.53 (Daphnia magna (water flea); 48-hour)		

Chronic Aquatic Toxicity

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017)

Date of Preparation: May 07, 2015

Page 05 of 07

Chemical Name	NOEC Fish	EC50 Fish	NOEC Crustacea	EC50 Crustacea
2-Butoxyethanol	> 100 mg/L (21-day;		> 100 mg/L (Daphnia	
	semi-static)		magna (water flea);	
			21-day; semi-static)	

Persistence and Degradability

(Tetrasodium EDTA) By using samples from a river, a ditch and a lake as inocula in the closed bottle test, a biodegradation between 60 and 83% was obtained after 49 days at pH 6.5, whereas between 53 and 72% were obtained after 28 days at pH 8.0.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Regulation	UN No.	Proper Shipping Name	Transport Hazard Class(es)	Packing Group
Canadian TDG	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate)	Class 8	III
US DOT	3266	CORROSIVE LIQUID, Basic, Inorganic (Sodium Metasilicate)	Class 8	III

Special Precautions

Not applicable

for User

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2). New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2).

California Proposition 65: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating Health - 3 Flammability - 0 Instability - 0

SDS Prepared By Technical Group **Date of Preparation** May 07, 2015

Revision Indicators The following SDS content was changed on August 10, 2017:

SECTION 1. IDENTIFICATION; Other Means of Identification. SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements.

SECTION 2. FIRZARDS IDENTIFICATION, GHS Classification, GHS Laber Elements.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.

SECTION 4. FIRST-AID MEASURES; Skin Contact; Eye Contact.

SECTION 6. ACCIDENTAL RELEASE MEASURES; Methods and Materials for Containment

and Cleaning up.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density.

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 06 of 07

SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Skin Corrosion/Irritation; Carcinogenicity.

SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity; Chronic Aquatic Toxicity.

Disclaimer

The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-78

SDS No.: Ver. 2 (August 10, 2017) Page 07 of 07

