

HP-80

## **SECTION 1. IDENTIFICATION**

| Product Identifier<br>Other Means of<br>Identification | HP-80<br>Foaming Brush Detergent - Cherry Scent - Blue  |
|--|---|
| Recommended Use  | Foam brush detergent for use in self-serve carwashes.   |
| <b>Restrictions on Use</b>                             | None known.   |
| Manufacturer /<br>Supplier                             | Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com |
| Emergency Phone No.                                    | CANUTEC (Canada), 613-996-6666, 24 Hours<br>INFOTRAC (U.S.), 1-800-535-5053, 24 Hours                       |
| SDS No.  | Ver. 2 (August 11, 2017)  |
| Date of Preparation                                    | May 27, 2015  |

# **SECTION 2. HAZARDS IDENTIFICATION**

### **GHS Classification**

Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A

**GHS Label Elements** 



Signal Word: Warning Hazard Statement(s): H319 Causes serious eye irritation. H315 Causes skin irritation. Prevention: P264 Wash hands and skin thoroughly after handling. P280 Wear protective gloves/protective clothing/eye protection/face protection. Response: P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical advice/attention. P302 + P352 IF ON SKIN: Wash with plenty of water.

P332 + P313 If skin irritation occurs: Get medical advice/attention.

# P362 + P364 Take off contaminated clothing and wash it before reuse.

# Other Hazards

None known.

# SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

| Chemical Name   | CAS No.    | %     | Other Identifiers               |
|---|------------|-------|---------------------------------|
| Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts | 68439-57-6 | 20-30 | Sodium olefin sulfonate         |
| Tetrasodium EDTA  | 64-02-8    | 1-3   | Ethylenediaminetetraacetic acid |

| 2-Butoxyethanol   | 111-76-2   |     | Ethylene glycol monobutyl ether, Butyl Cellosolve |
|---|------------|-----|---|
| Fatty acids, C8-18 and C18-unsatd., compds. with diisopropanolamine | 68855-69-6 | 1-3 | Cocamide DIPA                                     |
| Hexylene Glycol   | 107-41-5   | 1-3 | N/A   |

### Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

## **SECTION 4. FIRST-AID MEASURES**

#### **First-aid Measures**

#### Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice/attention if you feel unwell or are concerned.

#### Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 5 minutes. Clean clothing, shoes and leather goods. If skin irritation occurs get medical advice/attention.

#### **Eye Contact**

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

#### Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

#### Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: may cause moderate to severe irritation. Symptoms include sore, red eyes, and tearing.

#### Immediate Medical Attention and Special Treatment

Target Organs
Eyes, skin.
Special Instructions
Rinse affected area (skin, eyes) thoroughly with water.
Medical Conditions Aggravated by Exposure
None known.

## **SECTION 5. FIRE-FIGHTING MEASURES**

#### Extinguishing Media

### Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

#### Unsuitable Extinguishing Media

None known.

### **Specific Hazards Arising from the Chemical**

This product presents no unusual hazards in a fire situation.

### **Special Protective Equipment and Precautions for Fire-fighters**

Protect personnel from irritant liquid. Review Section 6 (Accidental Release Measures) for important information on responding to leaks/spills.

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

# SECTION 6. ACCIDENTAL RELEASE MEASURES

| Product Identifier:  | HP-80                    |
|----------------------|--------------------------|
| SDS No.:             | Ver. 2 (August 11, 2017) |
| Date of Preparation: | May 27, 2015             |

## Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

#### **Environmental Precautions**

It is good practice to prevent releases into the environment.

### Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike and recover contaminated water for appropriate disposal.

Contact emergency services and manufacturer/supplier for advice. Review Section 13 (Disposal Considerations) of this safety data sheet.

### Other Information

Report spills to local health, safety and environmental authorities, as required.

# **SECTION 7. HANDLING AND STORAGE**

#### Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

#### **Conditions for Safe Storage**

Comply with all applicable health and safety regulations, fire and building codes. Keep out of reach of children. Keep from freezing.

# SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### **Control Parameters**

|                 | ACGI | H TLV®           | OSH            | A PEL     | AIHA     | NEEL |
|-----------------|------|------------------|----------------|-----------|----------|------|
| Chemical Name   | TWA  | STEL             | TWA            | Ceiling   | 8-hr TWA | TWA  |
| 2-Butoxyethanol |      | 20 ppm C<br>Skin | 50 ppm<br>Skin |           |          |      |
| Hexylene Glycol |      | 25 ppm C         |                | 125 mg/m3 |          |      |

#### **Appropriate Engineering Controls**

General ventilation is usually adequate. Use local exhaust ventilation, if general ventilation is not adequate to control amount in the air. Provide eyewash and safety shower if contact or splash hazard exists.

#### Individual Protection Measures

#### **Eye/Face Protection**

Wear chemical safety goggles.

#### **Skin Protection**

Concentrated product: wear chemical protective clothing e.g. gloves, aprons, boots. Suitable materials are: polyvinyl chloride, neoprene rubber, latex rubber.

# Respiratory Protection

Not normally required if product is used as directed.

# SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

### **Basic Physical and Chemical Properties**

| ,                            | •   |
|------------------------------|---|
| Appearance                   | Dark blue liquid.                                 |
| Odour                        | Cherry  |
| Odour Threshold              | Not available                                     |
| рН                           | 9.0 - 9.8   |
| Melting Point/Freezing Point | Not available (melting); Not available (freezing) |
| Initial Boiling Point/Range  | Not available                                     |
| Flash Point                  | 200 °F (93 °C)                                    |
| Evaporation Rate             | Not available                                     |
|                              |   |

Product Identifier:HP-80SDS No.:Ver. 2 (August 11, 2017)Date of Preparation:May 27, 2015

| Flammability (solid, gas)<br>Upper/Lower Flammability or | Will not burn.<br>Not applicable (upper); Not applicable (lower) |
|--|--|
| Explosive Limit<br>Vapour Pressure                       | Not available  |
| Vapour Density (air = 1)                                 | Not applicable   |
| Relative Density (water = 1)                             | 1.05   |
| Solubility   | Soluble in water   |
| Partition Coefficient,<br>n-Octanol/Water (Log Kow)      | Not available  |
| Auto-ignition Temperature                                | Not available  |
| Decomposition Temperature                                | Not available  |
| Viscosity  | Not available (kinematic)  |
| Other Information  |  |
| Physical State   | Liquid   |

# SECTION 10. STABILITY AND REACTIVITY

Reactivity
Not reactive.
This is a stable material.
Chemical Stability
Normally stable.
Possibility of Hazardous Reactions
None known.
Conditions to Avoid
None known.
Incompatible Materials
None known.
Hazardous Decomposition Products
None known.

# SECTION 11. TOXICOLOGICAL INFORMATION

### Likely Routes of Exposure

Skin contact; eye contact.

## Acute Toxicity

| Chemical Name   | LC50                                      | LD50 (oral)           | LD50 (dermal)              |
|---|---|-----------------------|----------------------------|
| Sulfonic acids,<br>C14-16-alkane hydroxy and<br>C14-16-alkene, sodium salts | 52-206 mg/L (rat)                         | 2079-2340 mg/kg (rat) | 6300-160000 mg/kg (rabbit) |
| Tetrasodium EDTA  | > 1-5 mg/L (rat) (4-hour<br>exposure)     | 1780 mg/kg (rat)      |                            |
| 2-Butoxyethanol   | 450 ppm (female rat)<br>(4-hour exposure) | 400-917 mg/kg (rat)   | 220 mg/kg (rabbit)         |
| Fatty acids, C8-18 and<br>C18-unsatd., compds. with<br>diisopropanolamine   |   | 2000 mg/kg (rat)      | 8000 mg/kg (rabbit)        |
| Hexylene Glycol   | > 310 mg/m3 (rat) (1-hour<br>exposure)    | 3700 mg/kg (rat)      | 8560 mg/kg (rabbit)        |

# Skin Corrosion/Irritation

Human experience shows moderate or severe irritation.

# Serious Eye Damage/Irritation

Product Identifier:HP-80SDS No.:Ver. 2 (August 11, 2017)Date of Preparation:May 27, 2015

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing. Prolonged exposure may cause eye damage.

### STOT (Specific Target Organ Toxicity) - Single Exposure

### Inhalation

May cause nose and throat irritation, lung irritation.

#### Ingestion

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

#### **Aspiration Hazard**

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No information was located.

#### Respiratory and/or Skin Sensitization

No information was located for skin sensitization.

#### Carcinogenicity

| Chemical Name   | IARC    | ACGIH® | NTP | OSHA |
|-----------------|---------|--------|-----|------|
| 2-Butoxyethanol | Group 3 | A3     |     |      |

#### **Reproductive Toxicity**

**Development of Offspring** 

No indication from ingredients.

**Sexual Function and Fertility** 

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

#### **Germ Cell Mutagenicity**

No information was located.

#### **Interactive Effects**

No information was located.

# **SECTION 12. ECOLOGICAL INFORMATION**

All components of this product are biodegradable by Regulation (EC) No 648/2004.

### Toxicity

### **Acute Aquatic Toxicity**

| Chemical Name  | LC50 Fish  | EC50 Crustacea  | ErC50 Aquatic<br>Plants | ErC50 Algae |
|--|--|---|-------------------------|-------------|
| Sulfonic acids,<br>C14-16-alkane hydroxy<br>and C14-16-alkene,<br>sodium salts | 3.5-5 mg/L<br>(96-hour)  | 4.53 (Daphnia<br>magna (water flea);<br>48-hour)              |                         |             |
| Tetrasodium EDTA   | 34-62 mg/L<br>(Lepomis<br>macrochirus<br>(bluegill); 96-hour;<br>static) | 113 mg/L (Daphnia<br>magna (water flea);<br>48-hour; static)  |                         |             |
| 2-Butoxyethanol  | 1490-2950 mg/L<br>(Lepomis<br>macrochirus<br>(bluegill); 96-hour)        | 1550 mg/L (Daphnia<br>magna (water flea);<br>48-hour)         |                         |             |
| Hexylene Glycol  | 8690 mg/L<br>(Pimephales<br>promelas (fathead                            | 3200 mg/L (Daphnia<br>magna (water flea);<br>48-hour; static) |                         |             |

### Chronic Aquatic Toxicity

| Chemical Name   | NOEC Fish                           | EC50 Fish | NOEC Crustacea   | EC50 Crustacea |
|-----------------|-------------------------------------|-----------|--|----------------|
| 2-Butoxyethanol | > 100 mg/L (21-day;<br>semi-static) |           | > 100 mg/L (Daphnia<br>magna (water flea);<br>21-day; semi-static) |                |

# **SECTION 13. DISPOSAL CONSIDERATIONS**

### **Disposal Methods**

Review federal, state/provincial, and local government requirements prior to disposal.

# **SECTION 14. TRANSPORT INFORMATION**

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Special Precautions Not applicable for User

### Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15. REGULATORY INFORMATION**

### Safety, Health and Environmental Regulations

Canada

### Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

### USA

### Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are commercially available and presumed to be listed by manufacturer.

### Additional USA Regulatory Lists

SARA Title III - Section 313: 2-butoxyethanol (CAS: 111-76-2). California Proposition 65: No listed substances are known to be present. New Jersey Right To Know: 2-butoxyethanol (CAS: 111-76-2); Hexylene glycol (CAS: 107-41-5). TSCA INVENTORY: All ingredients are commercially available and presumed to be listed by manufacturer.

# **SECTION 16. OTHER INFORMATION**

| NFPA Rating          | Health - 1 Flammability - 0 Instability - 0   |
|----------------------|---|
| SDS Prepared By      | Technical Group   |
| Date of Preparation  | May 27, 2015  |
| Revision Indicators  | The following SDS content was changed on August 11, 2017:<br>SECTION 1. IDENTIFICATION; Other Means of Identification.<br>SECTION 2. HAZARDS IDENTIFICATION; GHS Label Elements.<br>SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.<br>SECTION 4. FIRST-AID MEASURES; Eye Contact.<br>SECTION 6. ACCIDENTAL RELEASE MEASURES; Methods and Materials for Containment<br>and Cleaning up.<br>SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density; pH.<br>SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Carcinogenicity.<br>SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity; Chronic Aquatic<br>Toxicity.<br>SECTION 15. REGULATORY INFORMATION; Toxic Substances Control Act (TSCA) Section<br>8(b). |
| Disclaimer           | The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed  |
| Product Identifier:  | HP-80   |
| SDS No.:             | Ver. 2 (August 11, 2017) Page 06 of 07  |
| Date of Preparation: | May 27, 2015  |

or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: SDS No.: Date of Preparation: HP-80 Ver. 2 (August 11, 2017) May 27, 2015



Page 07 of 07