



HP-980

SECTION 1. IDENTIFICATION

Product Identifier	HP-980
Other Means of Identification	Low pH Tri-Foam Conditioner - Bubble Gum Scent - Red
Recommended Use	Used in triple foam applications in all types of carwash equipment.
Restrictions on Use	None known.
Manufacturer / Supplier	Transchem Pro Inc., 350 S. Northwest Highway, Park Ridge, IL, 60068, 1 (877) 857-3870, www.turtlewaxpro.com
Emergency Phone No.	CANUTEC (Canada), 613-996-6666, 24 Hours INFOTRAC (U.S.), 1-800-535-5053, 24 Hours
SDS No.	Ver. 2 (December 5, 2017)
Date of Preparation	April 29, 2015

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Skin corrosion/irritation - Category 2; Serious eye damage/eye irritation - Category 2A; Skin sensitization - Category 1

GHS Label Elements



Signal Word:

Warning

Hazard Statement(s):

- H315 Causes skin irritation.
- H319 Causes serious eye irritation.
- H317 May cause an allergic skin reaction.

Prevention:

- P261 Avoid breathing dust, fume, gas, mist, vapours or spray.
- P264 Wash hands and skin thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.

Response:

- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337 + P313 If eye irritation persists: Get medical advice/attention.
- P302 + P352 IF ON SKIN: Wash with plenty of water.
- P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.

Disposal:

- P501 Dispose of contents/container in accordance with local, regional, national and international regulations.

Other Hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No.	%	Other Identifiers
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	68439-57-6	10-20	Sodium olefin Sulfonate
Hexylene Glycol	107-41-5	2-4	N/A
Phosphoric Acid	7664-38-2	1-2	N/A
3(2H)-Isothiazolone, 2-methyl-	2682-20-4	<1	N/A
4-Isothiazolin-3-one, 5-chloro-2-methyl-	26172-55-4	<1	N/A

Notes

The specific chemical identity and/or exact percentage of composition (concentration) has been withheld as a trade secret.

SECTION 4. FIRST-AID MEASURES

First-aid Measures

Inhalation

Move to fresh air. If breathing is difficult, trained personnel should administer emergency oxygen if advised to do so by Poison Centre or doctor. Get medical advice/attention if you feel unwell or are concerned.

Skin Contact

Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Immediately wash gently and thoroughly with lukewarm, gently flowing water and mild soap for 15-20 minutes. Thoroughly clean clothing, shoes and leather goods before reuse or dispose of safely. If skin irritation or a rash occurs, get medical advice/attention.

Eye Contact

Immediately rinse the contaminated eye(s) with lukewarm, gently flowing water for 15-20 minutes, while holding the eyelid(s) open. Remove contact lenses, if present and easy to do. If eye irritation persists, get medical advice/attention.

Ingestion

Never give anything by mouth if victim is rapidly losing consciousness, or is unconscious or convulsing. Do not induce vomiting. Rinse mouth with water. Drink large amounts of water. Immediately call a Poison Centre or doctor.

Most Important Symptoms and Effects, Acute and Delayed

If on skin: may cause moderate to severe irritation. If in eyes: may cause moderate to severe irritation. Symptoms include sore, red eyes, and tearing.

Immediate Medical Attention and Special Treatment

Target Organs

Eyes, skin.

Special Instructions

Rinse affected area (skin, eyes) thoroughly with water.

Medical Conditions Aggravated by Exposure

None known.

SECTION 5. FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media

Carbon dioxide, dry chemical powder, appropriate foam, water spray or fog.

Unsuitable Extinguishing Media

None known.

Specific Hazards Arising from the Chemical

Do not direct solid stream of water into burning liquid. Contact with water causes violent frothing and spattering.

Special Protective Equipment and Precautions for Fire-fighters

See Skin Protection in Section 8 (Exposure Controls/Personal Protection) for advice on suitable chemical protective materials.

Product Identifier: HP-980

SDS No.: Ver. 2 (December 5, 2017)

Date of Preparation: April 29, 2015

Page 02 of 06

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment, and Emergency Procedures

Use the personal protective equipment recommended in Section 8 of this safety data sheet.

Environmental Precautions

It is good practice to prevent releases into the environment.

Methods and Materials for Containment and Cleaning Up

Review Section 7 (Handling) of this safety data sheet before proceeding with clean-up.

Small spills or leaks: contain and soak up spill with absorbent that does not react with spilled product. Place used absorbent into suitable, covered, labelled containers for disposal.

Large spills or leaks: dike spilled product to prevent runoff. Contact emergency services and manufacturer/supplier for advice. Review Section 13 (Disposal Considerations) of this safety data sheet.

Other Information

Report spills to local health, safety and environmental authorities, as required.

SECTION 7. HANDLING AND STORAGE

Precautions for Safe Handling

Wear personal protective equipment to avoid direct contact with this chemical. See Section 13 (Disposal Considerations) of this safety data sheet.

Conditions for Safe Storage

Comply with all applicable health and safety regulations, fire and building codes. Keep out of reach of children. Keep from freezing.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control Parameters

Chemical Name	ACGIH TLV®		OSHA PEL		AIHA WEEL	
	TWA	STEL	TWA	Ceiling	8-hr TWA	TWA
Hexylene Glycol		25 ppm C		125 mg/m ³		
Phosphoric Acid	1 mg/m ³	3 mg/m ³	1 mg/m ³			

Appropriate Engineering Controls

General ventilation is usually adequate. Provide eyewash and safety shower if contact or splash hazard exists.

Individual Protection Measures

Eye/Face Protection

Wear chemical safety goggles and face shield when contact is possible.

Skin Protection

Concentrated product: wear chemical protective clothing e.g. gloves, aprons, boots.
Suitable materials are: polyvinyl chloride, neoprene rubber, latex rubber.

Respiratory Protection

Not normally required if product is used as directed.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Basic Physical and Chemical Properties

Appearance	Red liquid.
Odour	Bubblegum
Odour Threshold	Not available
pH	2 - 3
Melting Point/Freezing Point	Not available (melting); Not available (freezing)
Initial Boiling Point/Range	> 100 °C
Flash Point	Not available
Evaporation Rate	Not available

Product Identifier: HP-980

SDS No.: Ver. 2 (December 5, 2017)

Date of Preparation: April 29, 2015

Flammability (solid, gas)	Will not burn.
Upper/Lower Flammability or Explosive Limit	Not applicable (upper); Not applicable (lower)
Vapour Pressure	Not available
Vapour Density (air = 1)	Not applicable
Relative Density (water = 1)	1.04
Solubility	Soluble in water
Partition Coefficient, n-Octanol/Water (Log Kow)	Not available
Auto-ignition Temperature	Not available
Decomposition Temperature	Not available
Viscosity	Not available (kinematic)
Other Information	
Physical State	Liquid

SECTION 10. STABILITY AND REACTIVITY

Reactivity

Not reactive.
This is a stable material.

Chemical Stability

Normally stable.

Possibility of Hazardous Reactions

None known.

Conditions to Avoid

None known.

Incompatible Materials

None known.

Hazardous Decomposition Products

Corrosive sulfur oxides; very toxic carbon monoxide, carbon dioxide; hydrocarbons.

SECTION 11. TOXICOLOGICAL INFORMATION

Likely Routes of Exposure

Inhalation; skin contact; eye contact; ingestion.

Acute Toxicity

Chemical Name	LC50	LD50 (oral)	LD50 (dermal)
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	52-206 mg/L (rat)	2079-2340 mg/kg (rat)	6300-160000 mg/kg (rabbit)
Hexylene Glycol	> 310 mg/m ³ (rat) (1-hour exposure)	3700 mg/kg (rat)	8560 mg/kg (rabbit)
Phosphoric Acid		1530 mg/kg (rat)	2740 mg/kg (rabbit)

Skin Corrosion/Irritation

Human experience shows mild irritation.

Serious Eye Damage/Irritation

Human experience shows serious eye irritation. Symptoms include sore, red eyes, and tearing.

STOT (Specific Target Organ Toxicity) - Single Exposure

Inhalation

When misted causes nose and throat irritation, lung irritation.

Ingestion

Product Identifier: HP-980
SDS No.: Ver. 2 (December 5, 2017)
Date of Preparation: April 29, 2015

May cause irritation of the mouth, throat and stomach. Symptoms may include nausea, vomiting, stomach cramps and diarrhea.

Aspiration Hazard

No information was located.

STOT (Specific Target Organ Toxicity) - Repeated Exposure

No data available on this mixture. No indication from ingredients.

Respiratory and/or Skin Sensitization

(3(2H)-Isothiazolone, 2-methyl-). (4-Isothiazolin-3-one, 5-chloro-2-methyl-) sensitization may occur following exposure to the liquid or vapour.

Carcinogenicity

Not on ACGIH, IARC, NTP and OSHA lists.

Reproductive Toxicity

Development of Offspring

No indication from ingredients.

Sexual Function and Fertility

No indication from ingredients.

Effects on or via Lactation

No indication from ingredients.

Germ Cell Mutagenicity

No information was located.

Interactive Effects

No information was located.

SECTION 12. ECOLOGICAL INFORMATION

All components of this product are biodegradable by Regulation (EC) No 648/2004.

Toxicity

Acute Aquatic Toxicity

Chemical Name	LC50 Fish	EC50 Crustacea	ErC50 Aquatic Plants	ErC50 Algae
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	3.5-5 mg/L (96-hour)	4.53 (Daphnia magna (water flea); 48-hour)		
Hexylene Glycol	8690 mg/L (Pimephales promelas (fathead minnow); 96-hour; flow-through)	3200 mg/L (Daphnia magna (water flea); 48-hour; static)		
Phosphoric Acid	138 mg/L (96-hour)			
3(2H)-Isothiazolone, 2-methyl-	> 150 mg/L (96-hour)	0.87 mg/L (Daphnia magna (water flea); 48-hour)		
4-Isothiazolin-3-one, 5-chloro-2-methyl-	0.3 mg/L (96-hour)	0.84 mg/L (Daphnia magna (water flea); 48-hour)		

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal Methods

Review federal, state/provincial, and local government requirements prior to disposal.

SECTION 14. TRANSPORT INFORMATION

Not regulated under Canadian TDG Regulations. Not regulated under US DOT Regulations.

Product Identifier: HP-980
SDS No.: Ver. 2 (December 5, 2017)
Date of Preparation: April 29, 2015

Special Precautions for User Not applicable

Transport in Bulk According to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

SECTION 15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations

Canada

Domestic Substances List (DSL) / Non-Domestic Substances List (NDSL)

Consult Transchem Pro Inc. regarding status of ingredients.

USA

Toxic Substances Control Act (TSCA) Section 8(b)

All ingredients are listed on the TSCA Inventory.

Additional USA Regulatory Lists

California Proposition 65: No listed substances are known to be present.

New Jersey Right To Know: Phosphoric acid (CAS: 7664-38-2); Hexylene glycol (CAS: 107-41-5).

SARA Title III - Section 313: No listed substances are known to be present.

SECTION 16. OTHER INFORMATION

NFPA Rating **Health - 1** **Flammability - 0** **Instability - 0**

SDS Prepared By Technical Group

Date of Preparation April 29, 2015

Revision Indicators The following SDS content was changed on December 05, 2017:
SECTION 1. IDENTIFICATION; Other Means of Identification.
SECTION 2. HAZARDS IDENTIFICATION; GHS Classification; GHS Label Elements.
SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS; Ingredient Information.
SECTION 4. FIRST-AID MEASURES; Skin Contact; Eye Contact.
SECTION 5. FIRE-FIGHTING MEASURES; Specific Hazards Arising from the Chemical;
Special Protective Equipment and Precautions for Fire-fighters.
SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION; Control Parameters.
SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES; Relative Density.
SECTION 11. TOXICOLOGICAL INFORMATION; LC50/LD50 values; Skin Corrosion/Irritation;
Serious Eye Damage/Irritation; Inhalation; Ingestion; Respiratory and/or Skin Sensitization.
SECTION 12. ECOLOGICAL INFORMATION; Acute Aquatic Toxicity.
SECTION 15. REGULATORY INFORMATION; Toxic Substances Control Act (TSCA) Section 8(b).

Disclaimer The information contained here in has been compiled from sources believed to be reliable and is accurate to the best of our knowledge at this date. It is provided without warranty, expressed or implied, as to the results of use of this information or to the product to which it relates. Recipient assumes all responsibility for the use of this information and the use, storage, or disposal of the product, including any resultant personal injury or property damage.

Product Identifier: HP-980
SDS No.: Ver. 2 (December 5, 2017)
Date of Preparation: April 29, 2015

Page 06 of 06